

Model panda 230




K e g i o m
l i f t i n g




*gru . crane . kran . grue . macarale .
daruk*

Tabella portata - Lifting Capacity Chart - Tableau de Charge · Graficul capacității de ridicare
- Emelőkapacitási táblázat



Dimensioni Generali - General Dimensions - Dimensiuni generale - Általános méretek



DATI TECNICI TECHNICALS SHEETS FIȘE TEHNICE MŪSZAKI LAPOK



VERSIONE ELETTRICA

ELECTRIC VERSION

ELEKTRISCHE VERSION

VERSIUNE ELECTRICĂ

ELEKTROMOS VÁLTOZAT

Motore

Motor

Motor

Motor

Motor

24V - 4500W 2100rpm

Batteria

Battery

Batterien

Baterie

Akkumulátor

24V - 500Ah

Caricabatteria

Battery charger

Batterielader

Încărcător de baterie

Akkumulátor töltő

230 V - 50/60 Hz

VERSIONE MOTORE BENZINA

VERSION MOTOR GASOLINE

VERSION MOTOR BENZIN

VERSIUNEA CU MOTOR PE BENZINĂ

BENZINMOTOROS VÁLTOZAT

Motore

Motor

Motor

Motor

Motor

Honda GX390 - 13HP a 3600 rpm

Capacità serbatoio

Tank capacity

Tankkapazität

Capacitate rezervor

Tartály kapacitása

6 L.

Trazione idrostatica a 2 velocità

Drive system hydrostatic to 2 speeds

Hydrostatischer Antrieb mit 2 Geschwindigkeiten

Sistem de acționare hidrostatic cu 2 viteze

2 sebességű hidrosztatikus hajtásrendszer

km/h 1,5 - 2,5

Angolo di rampa

Ramp angle

Steigungswinkel

Unghiul rampei

Rámpaszög

15°

Cingoli in gomma

Tracks in rubber

Raupenketten aus Gummi

Șenile din cauciuc

Nyomvonalak gumiból

m. 1765x230x376h

Portata max

Max lifting

Max.Tragfähigkeit

Ridicare maximă

Maximális emelés

1500 Kg.

Sbraccio massimo

Max working radius

Max.Ausladung

Raza de lucru maximă

Maximális munkasugár

5,20 m.

Altezza massima

Max.working height

Tragfähigkeit bei max.Ausladung

Înălțimea maximă de lucru

Maximális munkamagasság

6,50 m.

Inclinazione braccio

Boom elevation

Auslegemeigung

Ridicarea brațului

A gém magassága

-40°/+70°

Rotazione gru

Rotation crane

Umdrehung kran

Macara rotativă

Forgódaru

50°

Pressione al suolo

Max track loading

Bodendruck

Sarcina maximă a șinei

Maximális pályaterhelés

0,21 Kg/cm²

Limitatore di momento

Automatic limiting device

Automatische grenzlastregelung

Dispozitiv de limitare automată

Automatikus korlátozó eszköz

Elektronico - Electronic Elektronisch - Électronique Electrónico

Dimensioni gru

Dimensions crane

Abmessungen kran

Dimensiuni macara

Daru méretei

2000 x 780 x 1690 mm.

Peso

Weight

Gewicht

Greutate

Súly

1300 Kg.

OPTIONALS



Verricello
Winch
Treuil
Troliu
Csőrítő



Elettropompa 115-220-380 V
Electric pump 115-220-380 V
Pompe électrique 115-220-380 V
Pompă electrică 115-220-380 V
Elektromos szivattyú 115-220-380 V



Radiocomando
Radio remote control
Radiocommande
Telecomandă radio
Rádiós távirányító



Cestello
Basket
Nacelle
Coș
Kosár



Forche
Forks
Gabel
Furci
Villák



Prolunghe meccaniche
Manuels extensions
Rallonges manuelles
Extensii manuale
Kézi kiterjesztések



Allargamento idraulico cingoli mm. 750/1050
Widening hydraulic tracks mm. 750/1050
Élargissement hydraulique des chenilles mm. 750/1050
Lărgirea pistelor hidraulice mm. 750/1050
Hidraulikus pályák kiszélesítése mm. 750/1050



Sollevatore a ventosa portata max +0 400 - 1200 Kg
Vacuum lifter max lifting +0 400 - 1200 Kg
élevateur à vide carga maxima +0 400 - 1200 Kg
Ridicarea maximă a aspiratorului cu vid +0 400-1200 Kg
Vákuumos emelő max emelés +0 400-1200 Kg



Dealer

